



KADECO®

PLEATED BLINDS

DESIGN AND FEATURES
VALID FROM 09/24



FOR DREAM LIVING SPACES

Pleated blinds from KADECO are as versatile as the spaces in which they are used. They subtly emphasise the living concept and place expressive highlight. Many options offer perfect privacy shields and sun protection for individual requirements.

The exclusive designs from the KADECO Atelier with a unique design signature for the most sophisticated needs are a particular highlight of the collection.

KADECO *Atelier*




UNIQUE.
INSPIRING.
SPECIAL.

Editions to inspire: KADECO Atelier uses contemporary design language to enchant to exciting worlds in a unique interaction between colour, materials and feel.



KADECO *Atelier*



VERSATILE.
CREATIVE.
EXCLUSIVE.

Our KADECO Atelier line has been designed with lots of passion and a feel for style. Zeitgeist and lifestyle are the sources of inspiration for our worlds, such as Artistic Living, Modern Poesy and Quiet Luxury.




RECYCLED MATERIALS. CLEAN DESIGN.

To protect resources, we deliberately use recycled polyester as the base material for these pleated blind fabrics. Our commitment: to meaningfully combine material responsibility, functionality and design.

Instead of using virgin raw materials, we draw on polyester from the recycling loop – a process that reduces the consumption of primary raw materials. The reuse of raw materials saves CO₂ emissions as well as energy in the manufacturing process.

Selected qualities meet the requirements for flame resistance. A large proportion of the qualities are also certified to OEKO-TEX® STANDARD 100 – tested for harmful substances to an independent standard.



KADECO COLLECTIONS ONLINE

THE DIGITAL FABRIC CATALOGUE


We love fabrics and designs - because they are at the very heart of KADECO sun protection products. You can now choose from the digital KADECO collection online too.

Using various filter functions, fabrics can be filtered based on criteria such as designs, colours and properties. All important details relating to the selected fabric are clearly shown: The detailed preview images show at a glance the front, back and detail view of the fabric. It is also possible to download the fabric data sheet and view the complete product properties in a clearly summarised form.



Digital Fabric Catalogue

The QR code on the sample pages will take you directly to the digital KADECO collection, where you can view the fabric properties online.



SYMBOLS AND FINISHING

The indoor climate and the visual effect of a pleated blind are dictated by the fabric's properties. A fabric can be technically assessed on the basis of the light and solar values in percent and its response to incident sunlight evaluated.



Material

CV/VI = viscose

PES = polyester

LI = linen

rPES = recycled polyester

PCR = post-consumer-recycled

PCR refers to the recycling of used packaging materials such as plastic bottles and bags to reduce waste and conserve resources.



= Trevira CS

VISUAL PROPERTIES

This describes the effect of the pleated blind on the proportion of sunlight that is visible to the human eye (380-780 nm).

The reflection, transmission and absorption values indicated below always add up to 100%.



Reflectance (visual)

The light reflectance according to EN 14501 indicates which proportion of visible sunlight is reflected by the fabric.



Transmittance value (visual)

The light transmittance according to EN 14501 indicates which proportion of visible sunlight can penetrate the fabric.



Absorption grade (visual)

The light absorption grade according to EN 14501 indicates which proportion of visible sunlight is absorbed by the fabric.

SOLAR PROPERTIES

Solar radiation in both the visible and the invisible ranges must be considered when evaluating the properties of the pleated blind.

The values for reflection, transmission and absorption below therefore refer to the sun's full radiation spectrum.



Reflectance (solar)

The solar reflectance according to EN 14501 indicates which proportion of incident sunlight (entire spectrum) is reflected by the fabric.



Transmittance (solar)

The solar transmittance according to EN 14501 indicates which proportion of incident sunlight (entire spectrum) can penetrate the fabric.



Absorption grade (solar)

The solar absorption grade according to EN 14501 indicates which proportion of incident sunlight (entire spectrum) is absorbed by the fabric.



CLASSIFICATION OF PLEATED BLINDS AS PER DIN EN 14501

Besides improving a room’s look, an internal privacy shield and sun protection also helps increase its visual and thermal comfort. Glare protection, transparency, privacy shield, heat protection in summer and black-out performance are the most important functions of textile drapes. However, the extent to which individual products fulfil these functions varies greatly.

In order to create clarity for you as a user, the ViS (Verband innenliegender Sicht- und Sonnenschutz e.V.) has developed symbols that are based on the latest version of the European standard DIN EN 14501 and that are explained below.

TRANSPARENCY

How well can you see outside when the drapes are closed? This is indicated by the symbols for the “transparency” function.


 **Transparency 0**
You cannot see outside at all.

 **Transparency 1**
Transparency is extremely limited, with outlines dimly discernible.

 **Transparency 2**
Transparency is limited, but outlines are clearly recognisable.

 **Transparency 3**
You can look outside with few limitations, and at a distance of 10 metres it is possible to recognise people.

 **Transparency 4**
You can look outside almost unhindered.



PRIVACY SHIELD

How well can people or objects in a home be seen and recognised from outside in normal nighttime lighting conditions? This is indicated by the symbols for the "privacy shield" function.

 **Privacy shield 0**
Unobstructed view into the home. Persons are clearly recognisable.

 **Privacy shield 1**
Few restrictions to seeing into the home. Persons are still recognisable.

 **Privacy shield 2**
There is a certain amount of privacy. Silhouettes can always be recognised, and in unfavourable lighting conditions even persons themselves.

 **Privacy shield 3**
An almost complete privacy shield. Silhouettes of people can only be recognised if they are standing a short distance (approx. one metre) from the drape.

 **Privacy shield 4**
No view at all from the outside to the inside, and so persons are not recognisable.

GLARE PROTECTION

To what extent does a drape reduce the risk of glare by reducing the ingress of sunlight and preventing you from looking directly at the sun? This is indicated by the symbols for the "glare protection" function. Important points: Daylight is essential to human wellbeing. It has a positive influence on health, as well as on a person's ability to concentrate and perform. Little or no daylight is let through if the glare protection is too strong. The drape should therefore ensure that people are not dazzled, but at the same time it should still let in enough daylight to ensure their wellbeing. It is also worth bearing in mind that a light fabric of the same classification diffuses more light into the room than a dark one.

The decision as to what feels more pleasant is a subjective one: a surface perceived as bright, which at the same time offers less visibility to the outside, or a darker surface with individual dazzling points of light, which at the same time opens up more visibility to the outside. Glare protection is useful for all façades facing east, south or west: Direct sunlight always falls here at certain times of the day and year, and this can cause glare. Façades facing north-east, north and north-west can manage without glare protection – reflections from buildings opposite must be taken into account here if necessary, as these can also cause glare.

 **Glare protection 0**
Products in this class provide **absolutely no glare protection**.

 **Glare protection 1**
There is only limited glare protection. This makes this class only suitable for a few applications, e.g. on north-facing façades when no glare from a façade opposite is possible. This class is not suitable for computer workstations, particularly **on façades facing east, south or west**.

 **Glare protection 2**
Glare protection is almost always guaranteed. This class is an appropriate choice for most work involving computer screens. This class not sufficient for just a few applications, for example when the screen is positioned frontally to the window. Darkening is only slight, which means that there is usually no need to use artificial lighting during the day. **Suitable for façades facing east, south or west.**

 **Glare protection 3**
Glare protection is guaranteed in most cases. It is not sufficient only in extreme cases, for example when the screen is positioned frontally to the window and the smallest details have to be recognised. The room is darkened to the extent that artificial lighting must be used. **Suitable for façades facing east, south or west.**

 **Glare protection 4**
100 percent glare prevention. The room is darkened a great deal, to the extent that artificial lighting must be used. **Suitable for façades facing east, south or west.**



BLACKOUT

To what extent does a fully-closed drape reduce the amount of light entering the room? This is indicated by the symbol for "blackout". We only state the classification of the drape material below. The blackout class (for example "B.3") as per DIN EN 14501 is derived only in combination with the frame classification (the technical hardware A-E).



Blackout 0

Only a minimal reduction in the amount of light entering the room.



Blackout 1

The drape slightly reduces the amount of light entering the room.



Blackout 2

The drape noticeably reduces the amount of light entering the room. For bedrooms, this class is suitable in combination with side guide rails.



Blackout 3

The drape almost completely reduces the amount of light entering the room. For normal bedrooms, this class is ideally suitable in combination with side guide rails.



Blackout 4

The drape prevents light from entering the room. The systems in the pleated blinds range are not suitable for a complete room blackout, as they cannot fully prevent light from entering the room around the blind's fabric.

SUMMER HEAT PROTECTION

To what extent does a drape prevent a room from heating up? This is indicated by the symbol for the "summer heat protection" function. The classification assumes that heat protection glazing is present.



Heat protection 0

There is a minimum heat reduction compared with glazing without drapes.



Heat protection 1

Heating is slightly reduced.



Heat protection 2

Heating is reduced much more noticeably.



Heat protection 3

Heating is reduced considerably and very well.



Heat protection 4

Heating is optimally reduced.





DISPLAY SCREEN EQUIPMENT (DSE) WORKSTATION SUITABILITY

Provide the best light for your employees

Daylight makes you feel happy, cheerful and productive. These positive attributes can also be brought into the workplace - without unpleasant side effects such as glare, heat radiation or reflections on computer screens. The design of modern workplaces actually has such a significant effect on the health and well-being of employees that information, guidelines and legal regulations have been created to ensure this is taken into consideration.

From 1996 to 2016, the German Screen Work Ordinance (BildscharbV) represented the German implementation of the authoritative EU regulations in this area. When the German Workplace Ordinance (ArbStättV) was amended on 3 December 2016, the BildscharbV was merged with the ArbStättV, which is legally binding in Germany. The ArbStättV covers every aspect of designing workplaces and working conditions with regard to the health and safety of employees.

What are considered good conditions for DSE workstations?

- Every window must be fitted with a suitable, individually adjustable privacy shield and glare protection device
- Annoying reflections and glare on screens must be prevented as much as possible
- Equipment should be adjustable so that users have a line of sight to the outside world, for most of the time at least
- It must be possible to react flexibly to changing daylight conditions
- The workplace must be sufficiently lit
- Screens must be at an approximately 90° angle in relation to the window in order to reduce reflections in general (note examples provided by the German Social Accident Insurance)

Practical information about implementing the EU directive can be found at:

German Social Accident Insurance
DGUV Information 215-444
(sun protection in offices).

Further information can be found in the brochure "Information on the classification of textile drapes for privacy shields and sun protection according to DIN EN 14501" published by ViS (Verband innenliegender Sicht- und Sonnenschutz e. V.).

Find easy and attractive ways to implement legal requirements with KADECO

Workplace windows must have an effective and flexible glare protection system in place so that employees can benefit from daylight, but won't be disturbed. Since you can individually react to the amount of incident light with KADECO's interior privacy screens and sunscreens, these are suitable as internal glare protection at the workplace. Use the designated glare protection classes as a guide to find the optimum fabric for your workplace glare protection. For more information, see the glare protection classes overview on Page 15.

Current legal requirements, standards and directives:

- German Workplace Ordinance, ArbStättV, Appendix 6 (measures for the design of DSE workstations)
- Technical regulations for workplaces, ASR 3.4 (lighting)
- German Social Accident Insurance, DGUV Information 215-444
- Lighting of work places - Indoor work places, EN 12464-1
- Ergonomic requirements for office work with visual display terminals EN ISO 9241-6

Note

This information does not claim to be complete, and does not exclude any other equivalent technical solutions that are equally safe. In certain unfavourable situations, additional externally located glare protection may be necessary.



FABRIC PROPERTIES



Low flammability

Fire behaviour of the material tested to various standards and classified as follows:
B1 = flame-resistant according to DIN 4102-1
M1 = non-flammable according to NF P 92-503-507



Fade resistance

The fade resistance of KADECO fabrics denotes the resistance of the textiles to long-term exposure to light. The higher the value of the fabric, the more resistant it is to the effects of light.



PVC free

This feature ensures the textiles are free from plasticisers.



OEKO-TEX® Standard 100

This label is a certification for fabrics which are made of materials tested for harmful substances and manufactured using environmentally friendly processes. In addition, safe and socially responsible working conditions are guaranteed. OEKO-TEX® Standard 100 indicates a low-emission fabric and rules out harmful chemicals.



Pearlescent finish

KADECO's pearlescent-coated fabrics offer multiple benefits: The finish is particularly efficient at reflecting high levels of light and heat radiation. We particularly recommend these fabrics for large areas of glass as well as for offices or conservatories.



Aluminisation

Aluminised fabrics have good reflection properties and provide comprehensive glare and thermal protection. However, the aluminised fabrics react sensitively to insect excrement and glass cleaners, which may attack the coating in parts.



Dirt-repellent

KADECO's dirt-repellent fabrics ensure invisible protection against soiling from a large number of household substances. We especially recommend using these fabrics in kitchens and cafeterias.



Fungicidal finish

This finish has a fungicidal effect. Due to this property, mould cannot penetrate the fabric.



Antimicrobial

Pleated blind fabrics featuring permanent antimicrobial protection are an effective precaution, particularly in locations where hygiene is of the utmost importance, such as doctor's surgeries, hospital wards, etc. They prevent the growth of various types of bacteria and Fungus (e.g., in wet rooms), thereby significantly reducing the risk of infection.

CARE INFORMATION

KADECO pleated blinds are resistant to dust and dirt because of the special coating that is applied to both sides. However, should you still wish to clean them, please follow the specific care instructions by referring to the cleaning symbols.



Brushing

Dirt such as dust can generally be removed with a soft clothes brush or carefully vacuumed off.



Damp cloth

To moist-wipe the pleated blind, place it on a smooth surface. Wipe the pleated blind carefully on both sides with a soft cloth that has been moistened with mild detergent.



Cleaning bath

Move the pleated blind around in a warm mild detergent solution (max. 30°C) for no more than 10-15 minutes. It is important to use a very low-surfactant detergent such as "Burti". After cleaning the fabric in the detergent, rinse it out with clean water, fold the fabric stack together again and press the water out. Hang the system up again whilst still damp and, throughout the day, keep alternately raising (so that the fabric can dry out completely) and lowering it (so that the folds are retained).

PLEASE NOTE

Do not iron the fabrics!

Mechanical parts of electrical units must not come into contact with water!

If you are cleaning glass and window frames, never use abrasive or alkali detergents. We cannot accept any liability for fabric damage caused by condensation, detergents or insects soiling the fabric. Nor can we accept any liability for any consequential damage due to incorrect handling of our products.

Please see our product overview for recommendations on how to care for the various fabrics.

| Art. no. | Name | Page |  | cm |  |  |  | g/m ² |  |  |  | <div><div></div><div></div><div></div></div> <div>%</div> | <div><div></div><div></div><div></div></div> <div>%</div> | <div><div></div><div></div><div></div></div> <div>%</div> | <div><div></div><div></div><div></div></div> <div>%</div> | <div><div></div><div></div><div></div></div> <div>%</div> | <div><div></div><div></div><div></div></div> <div>%</div> | <div><div></div><div></div><div></div></div> <div>%</div> |
<div><div></div><div></div><div></div></div> <div>%</div> | <div><div></div><div></div><div></div></div> <div>%</div> | <div><div></div><div></div><div></div></div> <div>%</div> | <div><div></div><div></div><div></div></div> <div>%</div> | <div><div></div><div></div><div></div></div> <div>%</div> | <div><div></div><div></div><div></div></div> <div>%</div> | <div><div></div><div></div><div></div></div> <div>%</div> | <div><div></div><div></div><div></div></div> <div>%</div> |
<div><div></div><div></div><div></div></div> <div>%</div> | <div><div></div><div></div><div></div></div> <div>%</div> | <div><div></div><div></div><div></div></div> <div>%</div> | <div><div></div><div></div><div></div></div> <div>%</div> | <div><div></div><div></div><div></div></div> <div>%</div> | <div><div></div><div></div><div></div></div> <div>%</div> | <div><div></div><div></div><div></div></div> <div>%</div> | <div><div></div><div></div><div></div></div> <div>%</div> |
<div><div></div><div></div><div></div></div> <div>%</div> | <div><div></div><div></div><div></div></div> <div>%</div> | <div><div></div><div></div><div></div></div> <div>%</div> | <div><div></div><div></div><div></div></div> <div>%</div> | <div><div></div><div></div><div></div></div> <div>%</div> | <div><div></div><div></div><div></div></div> <div>%</div> | <div><div></div><div></div><div></div></div> <div>%</div> | <div><div></div><div></div><div></div></div> <div>%</div> |
<div><div></div><div></div><div></div></div> <div>%</div> | <div><div></div><div></div><div></div></div> <div>%</div> | <div><div></div><div></div><div></div></div> <div>%</div> | <div><div></div><div></div><div></div></div> <div>%</div> | <div><div></div><div></div><div></div></div> <div>%</div> | <div><div></div><div></div><div></div></div> <div>%</div> | <div><div></div><div></div><div></div></div> <div>%</div> | <div><div></div><div></div><div></div></div> <div>%</div> |
<div><div></div><div></div><div></div></div> <div>%</div> | <div><div></div><div></div><div></div></div> <div>%</div> | <div><div></div><div></div><div></div></div> <div>%</div> | <div><div></div><div></div><div></div></div> <div>%</div> | <div><div></div><div></div><div></div></div> <div>%</div> | <div><div></div><div></div><div></div></div> <div>%</div> | <div><div></div><div></div><div></div></div> <div>%</div> | <div><div></div><div></div><div></div></div> <div>%</div> | <div><div></div><div></div><div></div></div> <div>%</div> | <div><div></div><div></div><div></div></div> <div>%</div> | <div><div></div><div></div><div></div></div> <div>%</div> | <div><div></div><div></div><div></div></div> <div>%</div> | <div><div></div><div></div><div></div></div> <div>%</div> | <div><div></div><div></div><div></div></div> <div>%</div> | <div><div></div><div></div><div></div></div> <div>%</div> | <div><div></div><div></div><div></div></div> <div>%</div> | <div><div></div><div></div><div></div></div> <div>%</div> | <div><div></div><div></div><div></div></div> <div>%</div> | <div><div></div><div></div><div></div></div> <div>%</div> | <div><div></div><div></div><div></div></div> <div>%</div> | <div><div></div><div></div><div></div></div> <div>%</div> | <div><div></div><div></div><div></div></div> <div>%</div> | <div><div></div><div></div><div></div></div> <div>%</div> | <div><div></div><div></div><div></div></div> <div>%</div> | <div><div></div><div></div><div></div></div> <div>%</div> | <div><div></div><div></div><div></div></div> <div>%</div> | <div><div></div></div> |
|----------|------|------|---|----|---|---|---|------------------|---|---|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
|----------|------|------|---|----|---|---|---|------------------|---|---|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|

PRODUCT OVERVIEW

Art. no.	Name	Page																																																																																																																																																																																																								
----------	------	------	---	---	---	---	---	---	---	--	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	--

Art. no.	Name	Page				cm																				
12061	Studio FR	13	230	-	-	170	0.35	B1/M1	6-7	16	13	71	13	12	75	3	1	1	1	1	1	✓	✓	✓	-	-
12070	Facette	Circle of Style	225	-	-	100	0.20	-	6-7	40	58	2	30	64	6	3	1	0	0	1	1	✓	✓	✓	-	-
12071	Facette	Circle of Style	225	-	-	100	0.20	-	6-7	39	53	8	30	59	11	3	1	0	0	1	1	✓	✓	✓	-	-
12195	Crush FR	11	250	-	-	110	0.32	B1	5-7	48	49	3	-	-	-	0	2	0	0	1	-	✓	✓	✓	-	-
12196	Crush FR	11	250	-	-	110	0.32	B1	5-7	46	51	3	-	-	-	0	2	0	0	1	-	✓	✓	✓	-	-
12642	Cloudy	Timeless Classics Sand	240	-		65	0.25	-	5-6	41	53	6	44	54	2	1	2	0	0	1	✓	✓	✓	✓	-	-
12785	Crush Pearl FR	9	220	-		106	0.40	B1	5-7	34	5	61	42	23	35	0	3	4	2	1	✓	✓	✓	✓	-	-
12814	Crush Pearl FR	10	225	-		105	0.50	B1	7	62	32	6	59	35	6	0	2	0	0	1	✓	✓	✓	✓	-	-
12822	Crush Pearl FR	10	225	-		105	0.50	B1	6-7	54	27	19	56	34	10	0	2	0	0	1	✓	✓	✓	✓	-	-
13005	Mid Summer	Timeless Classics Sand	235	-	-	60	0.17	-	>6	43	37	20	-	-	-	-	-	0	1	-	✓	✓	✓	-	-	
13031	Brushstroke	Timeless Classics Grey	200	-	-	140	0.40	-	5-6	40	60	0	35	60	5	-	-	0	1	-	✓	✓	✓	-	-	
13032	Brushstroke	Timeless Classics Sand	200	-	-	140	0.40	-	5-6	40	60	0	35	60	5	-	-	0	1	-	✓	✓	✓	-	-	
13074	Facette	Timeless Classics Sand	225	-	-	100	0.20	-	6-7	40	56	4	21	61	18	3	1	0	0	1	✓	✓	✓	-	-	
13075	Facette	Quiet Luxury	225	-	-	100	0.20	-	6-7	15	18	67	9	29	62	3	1	0	0	1	✓	✓	✓	-	-	
13076	Facette	Circle of Style	225	-	-	100	0.20	-	6-7	18	12	70	3	23	74	3	1	1	0	1	✓	✓	✓	-	-	
13114	Alu Crepe FR	14	230	-		80	0.18	B1/M1	5-6	57	8	35	58	8	34	1	2	3	1	1	-	✓	✓	✓	-	-
13115	Alu Crepe FR	14	230	-		80	0.18	B1/M1	5-6	59	7	34	59	7	34	1	2	3	1	1	-	✓	✓	✓	-	-
13116	Alu Crepe FR	14	230	-		80	0.18	B1/M1	5-6	57	6	37	58	6	36	1	2	3	1	1	-	✓	✓	✓	-	-
13117	Alu Crepe FR	14	230	-		80	0.18	B1/M1	5-6	57	3	40	58	5	37	2	2	4	2	1	-	✓	✓	✓	-	-
13123	Olives FR	Garden Retreats	235	-	-	85	-	B1	5-7	37	23	40	-	-	-	-	-	0	1	✓	✓	✓	✓	-	-	
13124	Olives FR	Modern Poesie	235	-	-	85	-	B1	5-7	58	7	35	-	-	-	-	-	1	1	✓	✓	✓	✓	-	-	
13131	Crush Pearl FR	9	225	-		105	0.50	B1	7	55	24	21	55	31	14	0	2	1	0	1	✓	✓	✓	✓	-	-
13132	Crush Pearl FR	9	225	-		105	0.50	B1	7	39	13	48	36	18	46	0	3	3	1	1	✓	✓	✓	✓	-	-
13133	Crush Pearl FR	9	225	-		105	0.50	B1	6-7	52	20	28	52	29	19	0	2	2	0	1	✓	✓	✓	✓	-	-

PRODUCT OVERVIEW

Art. no.	Name	Page																													
			cm				g/m ²					%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%				
13134	Crush Pearl FR	9	225	PES	-		105	0.50	B1	5-6																					
13135	Crush Pearl FR	10	225	PES	-		105	0.50	B1	6-7																					
13136	Crush Pearl FR	10	225	PES	-		105	0.50	B1	7																					
13194	Crush FR	11	250	PES	-	-	110	0.32	B1	5-7																					
13197	Crush FR	11	250	PES	-	-	110	0.32	B1	5-7																					
13260	Lines	Timeless Classics Grey	240	PES	-	-	110	0.20	-	6-7																					
13261	Lines	Smart Casual	240	PES	-	-	110	0.20	-	6-7																					
13262	Lines	Modern Expression	240	PES	-	-	110	0.20	-	6-7																					
13263	Lines	Garden Retreats	240	PES	-	-	110	0.20	-	6-7																					
13394	Ripple	Timeless Classics Grey	240	PES	-	-	110	0.20	-	6-7																					
13395	Ripple	Smart Casual	240	PES	-	-	110	0.20	-	6-7																					
13396	Ripple	Modern Expression	240	PES	-	-	110	0.20	-	6-7																					
13397	Ripple	Garden Retreats	240	PES	-	-	110	0.20	-	6-7																					
13440	Sundew	Modern Expression	225	pcr PES	✓	-	86	0.24	-	5-7																					
13440	Sundew	4	225	pcr PES	✓	-	86	0.24	-	5-7																					
13441	Sundew	Modern Expression	225	pcr PES	✓	-	86	0.24	-	5-7																					

PRODUCT OVERVIEW

Art. no.	Name	Page																							
			cm				g/m ²			%	%	%	%												
13520	Urban Pearl FR	6	224	PES	-		112	0.17	B1	5-7	46	5	49	52	22	26	0	3	4	3	1				
13614	Leger	1	230	PES	-	-	200	0.37	-	6-7	67	31	2	63	32	5	3	1	1	0	1				
13615	Leger	1	230	PES	-	-	200	0.37	-	6-7	58	38	4	57	38	5	3	1	1	0	1				
13616	Leger	1	230	PES	-	-	200	0.37	-	6-7	45	40	15	46	38	16	3	1	1	1	1				
13617	Leger	1	230	PES	-	-	200	0.37	-	6-7	24	21	55	20	24	56	3	2	1	1	0				
13618	Leger	1	230	PES	-	-	200	0.37	-	6-7	19	18	63	17	22	61	3	2	1	1	0				
13702	Rustic Eco	Modern Poesie	200	56% recycled PES / 44% PES	✓	-	150	0.35	-	>5	15	23	62	12	17	71	4	0	0	0	1				
13711	Basic Pearl FR	12	225	pcr PES	✓		100	0.20	B1	5-7	66	30	4	60	34	6	0	2	0	0	1				
13712	Basic Pearl FR	12	225	pcr PES	✓		100	0.20	B1	5-7	65	23	12	59	30	11	0	2	1	1	1				
13713	Basic Pearl FR	12	225	pcr PES	✓		100	0.20	B1	5-7	57	19	24	56	29	15	0	2	2	1	1				
13714	Basic Pearl FR	12	225	pcr PES	✓		100	0.20	B1	5-7	53	8	39	54	23	23	0	3	4	1	1				
13715	Basic Pearl FR	12	225	pcr PES	✓		100	0.20	B1	5-7	50	7	43	52	21	27	0	3	4	1	1				
13788	Crush Pearl FR	Scandi Reloaded	220	PES	-		106	0.40	B1	5-7	48	13	39	50	26	24	0	3	3	1	1				
13788	Crush Pearl FR	10	220	PES	-		106	0.40	B1	5-7	48	13	39	50	26	24	0	3	3	1	1				
13789	Crush Pearl FR	Scandi Reloaded	220	PES	-		106	0.40	B1	5-7	41	9	50	45	25	30	0	3	4	2	1				
13880	Lasting	Circle of Style	238	80% rPES / 20% PES	✓	-	175	0.36	-	5-6	48	41	11	46	40	14	0	2	1	0	1				
13880	Lasting	4	238	80% rPES / 20% PES	✓	-	175	0.36	-	5-6	48	41	11	46	40	14	0	2	1	0	1				
13881	Lasting	4	238	80% rPES / 20% PES	✓	-	175	0.36	-	5-6	43	37	20	43	37	20	0	2	1	0	1				
13882	Lasting	4	238	80% rPES / 20% PES	✓	-	175	0.36	-	5-6	42	37	21	44	39	17	0	2	1	0	1				
13884	Lasting	4	238	80% rPES / 20% PES	✓	-	175	0.36	-	6	37	33	30	41	36	23	0	2	1	0	1				
13885	Lasting	5	238	80% rPES / 20% PES	✓	-	175	0.36	-	5-6	51	44	5	50	43	7	0	2	1	0	1				
13886	Lasting	5	238	80% rPES / 20% PES	✓	-	175	0.36	-	5-6	45	38	17	45	38	17	0	2	1	0	1				

Art. no.	Name	Page																							
			cm				g/m ²			%	%	%	%												
13887	Lasting	5	238	80% rPES / 20% PES	✓	-	175	0.36	-	6	40	38	22	42	39	19	0	2	1	0	1				
13888	Lasting	5	238	80% rPES / 20% PES	✓	-	175	0.36	-	6-7	30	29	41	33	31	36	0	2	1	0	1				
13889	Lasting	5	238	80% rPES / 20% PES	✓	-	175	0.36	-	6-7	9	13	78	11	14	75	1	2	1	1	1				
20627	Capri	Timeless Classics Sand	240	PES	-		85	0.17	-	6	42	58	0	42	58	0	3	0	0	0	1				
20630	Capri	Timeless Classics Grey	240	PES	-		85	0.17	-	6	30	46	24	33	49	18	1	1	0	0	1				
20636	Wave	Timeless Classics Grey	240	PES	-	-	95	0.21	-	7	55	45	0	53	45	2	0	2	0	0	1				
20637	Wave	Circle of Style	240	PES	-	-	95	0.21	-	7	51	47	2	51	48	1	0	2	0	0	1				
20638	Wave	Circle of Style	240	PES	-	-	95	0.21	-	7	50	42	8	50	43	7	0	2	0	0	1				
20644	Salina	Timeless Classics Sand	235	PES	-	-	110	0.55-0.60	-	7	29	71	0	30	70	0	3	0	0	0	1				
20700	Amalia	Timeless Classics Grey	225	PES	-	-	98	0.18	-	5-7	43	47	10	42	48	10	0	2	0	0	1				
20731	Ambiente FR	Smart Casual	225		-	-	135	0.35	B1/M1	5-7	35	37	28	40	42	18	2	0	0	0	1				
20731	Ambiente FR	3	225		-	-	135	0.35	B1/M1	5-7	35	37	28	40	42	18	2	0	0	0	1				
20732	Ambiente FR	Scandi Reloaded	225		-	-	135	0.35	B1/M1	5-7	39	44	17	41	46	13	2	0	0	0	1				
20732	Ambiente FR	3	225		-	-	135	0.35	B1/M1	5-7	39	44	17	41	46	13	2	0	0	0	1				
20733	Ambiente FR	3	225		-	-	135	0.35	B1/M1	5-7	29	39	32	36	45	19	2	0	0	0	1				
20737	Ambiente FR	3	225		-	-	135	0.35	B1/M1	5-7	38	42	20	42	45	13	2	0	0	0	1				
20757	Avalon	Smart Casual	225	PES	-	-	98	0.18	-	5-7	43	48	9	42	47	11	0	2	0	1	1				
20861	Capri	Timeless Classics Grey	240	PES	-		85	0.17	-	6	13	28	59	26	41	33	1	1	0	0	1				
22006	Variety Pearl	Artistic Living	225	PES	-		113	0.22	-	5-7	56	14	30	54	24	22	0	3	3	2	1				
22035	Finio	Quiet Luxury	240	PES	-	-	150	0.30	-	5-6	57	28	15	54	24	22	2	2	1	0	1				
22036	Finio	Quiet Luxury	240	PES	-	-	150	0.30	-	5-6	49	26	25	41	30	29	2	2	1	0	1				
22037	Finio	Quiet Luxury	240	PES	-	-	150	0.30	-	5-6	35	24	41	35	24	41	2	2	1	1	1				
22062	Office Pearl FR	13	215	PES	-		160	0.20	B1	6-7	74	13	13	66	18	16	0	4	4	1	1				
22063	Office Pearl FR	13	215	PES	-		160	0.20	B1	6-7	74	11	15	66	16	18	0	4	4	1	1				

Art. no.	Name	Page		cm				g/m ²				Photometric values						Solar values											
												L R	T	L A	S R	S T	S A	%	%	%	%	0	0	0	0	0	0		
22064	Office Pearl FR	13	215	PES	-			160	0.20	B1	6-7	73		7	20	65	12	23											
22065	Office Pearl FR	13	215	PES	-			160	0.20	B1	6-7	71		3	26	62	6	32											
22095	Flora	Smart Casual	240	PES	-	-	-	160	0.28	-	6	54	46	0	54	46	0	0	2	0	1								
22160	Ambiente FR	3	225		-	-	-	135	0.35	B1/M1	5-7	45	52	3	44	51	5	2	0	0	1								
22639	Office Pearl FR	13	215	PES	-			160	0.20	B1	6-7	72	9	19	65	14	21	0	4	1	1								
22701	Amalia	Modern Expression	225	PES	-	-	-	98	0.18	-	5-7	56	34	10	52	35	13	0	2	0	1								
22961	Crush Pearl FR	12	220	pcr PES				95	0.40	B1	5-7	51	16	33	51	28	21	0	2	2	0	1							
22962	Crush Pearl FR	12	220	pcr PES				95	0.40	B1	5-7	64	31	5	57	34	9	0	2	0	1								
22963	Crush Pearl FR	12	220	pcr PES				95	0.40	B1	5-7	37	4	59	43	24	33	0	3	4	2	1							
22964	Crush Pearl FR	12	220	pcr PES				95	0.40	B1	5-7	56	26	18	53	32	15	0	2	0	1								
22965	Crush Pearl FR	12	220	pcr PES				95	0.40	B1	5-7	63	30	7	56	34	10	0	2	0	1								
23007	Variety Pearl	Timeless Classics Grey	225	PES	-			113	0.22	-	5-7	66	21	13	60	28	12	0	2	1	1								
23008	Variety Pearl	Timeless Classics Sand	225	PES	-			113	0.22	-	5-7	69	25	6	62	29	9	0	2	0	1	1							
23009	Variety Pearl	Smart Casual	225	PES	-			113	0.22	-	5-7	63	17	20	59	26	15	0	2	2	1	1							
23010	Variety Pearl	Smart Casual	225	PES	-			113	0.22	-	5-7	53	9	38	54	22	24	0	3	4	2	1							
23011	Variety Pearl	Smart Casual	225	PES	-			113	0.22	-	5-7	59	14	27	56	24	20	0	3	3	1	1							
23012	Variety Pearl	Smart Casual	225	PES	-			113	0.22	-	5-7	50	6	44	52	20	28	0	3	4	2	1							
23013	Variety Pearl	Artistic Living	225	PES	-			113	0.22	-	5-7	67	27	6	60	29	11	0	2	0	1	1							
23014	Variety Pearl	Artistic Living	225	PES	-			113	0.22	-	5-7	51	7	42	52	21	27	0	3	4	2	1							
23015	Variety Pearl	Scandi Reloaded	225	PES	-			113	0.22	-	5-7	62	15	23	58	25	17	0	2	2	1	1							
23016	Variety Pearl	Scandi Reloaded	225	PES	-			113	0.22	-	5-7	54	9	37	55	23	22	0	3	4	2	1							
23017	Variety Pearl	Scandi Reloaded	225	PES	-			113	0.22	-	5-7	43	2	55	50	20	30	0	4	4	3	1							

Art. no.	Name	Page			cm				g/m ²																				
23038	Finio	Quiet Luxury	PES	240		-	-	150	0.30	5-6	54	26	20	51	25	24	2	2	1	1	1	1						-	
23060	Office Pearl FR	13	PES	215		-		160	0.20	6-7	66	5	29	59	10	31	0	4	4	2	1	1						-	
23072	On Point	Smart Casual	PES	200		-	-	150	0.65	5-6	25	25	50	30	30	40	-	-	-	0	1	-						-	
23073	On Point	Artistic Living	PES	200		-	-	150	0.65	5-6	45	50	5	40	45	15	-	-	-	0	1	-						-	
23111	Fleur Pearl	Timeless Classics Sand	PES	195		-		120	0.25	5-6	60	40	0	50	40	10	-	-	-	1	1	-						-	
23112	Fleur Pearl	Garden Retreats	PES	195		-		120	0.25	5-6	50	25	25	50	35	15	-	-	-	1	1	-						-	
23113	Fleur Pearl	Scandi Reloaded	PES	195		-		120	0.25	5-6	50	25	25	50	35	15	-	-	-	1	1	-						-	
23118	Dune Eco	Timeless Classics Grey		240	80% rPES / 20% PES		-	175	0.38	6	50	43	7	43	48	9	0	2	0	1	1							-	
23119	Dune Eco	Quiet Luxury		240	80% rPES / 20% PES		-	175	0.38	6	50	44	6	50	43	7	0	2	0	1	1							-	
23151	Exquisit	Timeless Classics Sand	PES	240		-	-	110	0.30	7	41	26	33	44	29	27	0	2	0	1	1							-	
23152	Exquisit	Modern Poesie	PES	240		-	-	110	0.30	6-7	46	32	22	48	34	18	0	2	0	1	1							-	
23153	Exquisit	Modern Poesie	PES	240		-	-	110	0.30	6-7	28	16	56	30	19	51	1	2	1	1	1							-	
23183	Mini Knit	Timeless Classics Grey	PES	230		-	-	110	0.20	6	58	38	4	-	-	2	1	1	0	1	1							-	
23203	Shape	Timeless Classics Sand	PES	200		-	-	150	0.65	5-6	45	50	5	40	45	15	-	-	0	1	-							-	
23204	Shape	Artistic Living	PES	200		-	-	150	0.65	5-6	45	50	5	40	45	15	-	-	0	1	-							-	
23266	Mosaic	Timeless Classics Sand	PES	235		-	-	150	0.40	5-6	45	55	0	45	50	5	-	-	0	1	-							-	
23267	Mosaic	Quiet Luxury	PES	235		-	-	150	0.40	5-6	45	55	0	45	50	5	-	-	0	1	-							-	
23607	Relaxed	Garden Retreats	PES	240		-	-	135	0.29	7	26	38	36	27	39	34	0	2	0	0	1							-	
23608	Relaxed	Garden Retreats	PES	240		-	-	135	0.29	7	16	28	56	17	30	53	0	2	0	1	1							-	
23629	Capri	Modern Expression	PES	240		-		85	0.17	5-6	34	52	14	35	53	12	3	1	0	0	1							-	
23630	Capri	Modern Expression	PES	240		-		85	0.17	6	26	42	32	25	44	31	3	1	0	0	1							-	
23704	Ebb Pearl	Timeless Classics Sand	PES	240		-		100	0.19	7	74	25	1	66	28	6	0	2	0	1	1							-	
23705	Ebb Pearl	Timeless Classics Sand	PES	240		-		100	0.19	7	71	25	4	64	28	8	0	2	1	1	1							-	
23706	Ebb Pearl	Quiet Luxury	PES	240		-		100	0.19	7	69	21	10	61	25	14	0	2	1	1	1							-	

PRODUCT OVERVIEW

| Art. no. | Name | Page |  | cm |  |  |  |  | g/m ² |  |  | 
%
R | 
%
T | 
%
A | 
%
S | 
%
R | 
%
T | 
%
A | 
%
S | 
%
R | 
%
T | 
%
A | 
%
S | 
%
R | 
%
T | 
%
A | 
%
S | 
%
R | 
%
T | 
%
A | 
%
S | 
%
R | 
%
T | 
%
A | 
%
S | 
%
R | 
%
T | 
%
A | 
%
S | 
%
R | 
%
T | 
%
A | 
%
S | 
%
R | 
%
T | 
%
A | 
%
S | 
%
R | 
%
T | 
%
A | 
%
S | 
%
R | 
%
T | 
%
A |


%
S | 
%
R | 
%
T | 
%
A | 
%
S | 
%
R | 
%
T | 
%
A | 
%
S | 
%
R | 
%
T | 
%
A | 
%
S | 
%
R | 
%
T | 
%
A | 
%
S | 
%
R | 
%
T | 
%
A | 
%
S | 
%
R | 
%
T | 
%
A | 
%
S | 
%
R | 
%
T | 
%
A | 
%
S | 
%
R | 
%
T | 
%
A | 
%
S | 
%
R | 
%
T | 
%
A | 
%
S | 
%
R | 
%
T | 
%
A | 
%
S | 
%
R | 
%
T | 
%
A | 
%
S | 
%
R | 
%
T | 
%
A | 
%
S | 
%
R | 
%
T |


%
A | 
%
S | 
%
R | 
%
T | 
%
A | 
%
S | 
%
R | 
%
T | 
%
A | 
%
S | 
%
R | 
%
T | 
%
A | 
%
S | 
%
R | 
%
T | 
%
A | 
%
S | 
%
R | 
%
T | 
%
A | 
%
S | 
%
R | 
%
T | 
%
A | 
%
S | 
%
R | 
%
T | 
%
A | 
%
S | 
%
R | 
%
T | 
%
A | 
%
S | 
%
R | 
%
T | 
%
A | 
%
S | 
%
R | 
%
T | 
%
A | 
%
S | 
%
R | 
%
T | 
%
A | 
%
S | 
%
R | 
%
T | 
%
A | 
%
S | 
%
R |


%
T | 
%
A | 
%
S | 
%
R | 
%
T | 
%
A | 
%
S | 
%
R | 
%
T | 
%
A | 
%
S | 
%
R | 
%
T | 
%
A | 
%
S | 
%
R | 
%
T | 
%
A | 
%
S | 
%
R | 
%
T | 
%
A | 
%
S | 
%
R | 
%
T | 
%
A | 
%
S | 
%
R | 
%
T | 
%
A | 
%
S | 
%
R | 
%
T | 
%
A | 
%
S | 
%
R | 
%
T | 
%
A | 
%
S | 
%
R | 
%
T | 
%
A | 
%
S | 
%
R | 
%
T | 
%
A | 
%
S | 
%
R | 
%
T | 
%
A | 
%
S |


%
R | 
%
T | 
%
A | 
%
S | 
%
R | 
%
T | 
%
A | 
%
S | 
%
R | 
%
T | 
%
A | 
%
S | 
%
R | 
%
T | 
%
A | 
%
S | 
%
R | 
%
T | 
%
A | 
%
S | 
%
R | 
%
T | 
%
A | 
%
S | 
%
R | 
%
T | 
%
A | 
%
S | 
%
R | 
%
T | 
%
A | 
%
S | 
%
R | 
%
T | 
%
A | 
%
S | 
%
R | 
%
T | 
%
A | 
%
S | 
%
R | 
%
T | 
%
A | 
%
S | 
%
R | 
%
T | 
%
A | 
%
S | 
%
R | 
%
T | 
%
A |


%
S | 
%
R | 
%
T | 
%
A | 
%
S | 
%
R | 
%
T | 
%
A | 
%
S | 
%
R | 
%
T | 
%
A | 
%
S | 
%
R | 
%
T | 
%
A | 
%
S | 
%
R | 
%
T | 
%
A | 
%
S | 
%
R | 
%
T | 
%
A | 
%
S | 
%
R | 
%
T | 
%
A | 
%
S | 
%
R | 
%
T | 
%
A | 
%
S | 
%
R | 
%
T | 
%
A | 
%
S | 
%
R | 
%
T | 
%
A | 
%
S | 
%
R | 
%
T | 
%
A | 
%
S | 
%
R | 
%
T | 
%
A | 
%
S | 
%
R | 
%
T |


%
A | 
%
S | 
%
R | 
%
T | 
%
A | 
%
S | 
%
R | 
%
T |
----------	------	------	---	----	---	---	---	---	------------------	---	---	--	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

Art. no.	Name	Page		cm					g/m ²														<
----------	------	------	---	----	---	---	---	---	------------------	---	---	--	--	---	---	---	---	---	---	---	---	---	---

Art. no.	Name	Page		cm																															
42279	Night Reflex BO FR	15		210	PES	-	-	230	0.34	B1	>5	75	0	25	67	0	33	0	4	4	4	1	✓	✓	✓	✓	-	-	-	✓	-	-	-	-	
43126	Star BO	15		240	PES	-	-	260	0.33	-	6	80	0	20	70	0	30	0	4	4	4	1	✓	✓	✓	✓	-	-	-	✓	-	-	-	-	
43127	Star BO	15		240	PES	-	-	260	0.33	-	6	82	0	18	71	0	29	0	4	4	4	1	✓	✓	✓	✓	-	-	-	✓	-	-	-	-	
43137	Arty FR	Modern Expression		228		-	-	170	0.35	B1	6-7	-	-	-	-	-	-	-	-	0	0	1	✓	✓	-	✓	-	-	-	✓	-	-	-	-	
43138	Arty FR	Artistic Living		228		-	-	170	0.35	B1	6-7	-	-	-	-	-	-	-	-	0	0	1	✓	✓	-	✓	-	-	-	✓	-	-	-	-	
43139	Brushed Eco	Smart Casual		235	80% rPES / 20% PES	✓	-	175	0.36	-	5-6	-	-	-	-	-	-	-	-	1	1	✓	✓	-	✓	-	-	-	✓	-	-	-	-	-	
43140	Flowering FR	Modern Expression		228		-	-	170	0.35	B1	6-7	-	-	-	-	-	-	-	-	0	0	1	✓	✓	-	✓	-	-	-	✓	-	-	-	-	
43141	Flowering FR	Artistic Living		228		-	-	170	0.35	B1	6-7	-	-	-	-	-	-	-	-	0	0	1	✓	✓	-	✓	-	-	-	✓	-	-	-	-	
43142	Brushed Eco	Quiet Luxury		235	80% rPES / 20% PES	✓	-	175	0.36	-	5-6	-	-	-	-	-	-	-	-	1	1	✓	✓	-	✓	-	-	-	✓	-	-	-	-	-	
43145	Nordic	Timeless Classics Grey		233	PES	-	-	150	0.30	-	5-6	-	-	-	-	-	-	-	-	1	1	✓	✓	-	✓	-	-	-	✓	-	-	-	-	-	
43146	Nordic	Circle of Style		233	PES	-	-	150	0.30	-	5-6	-	-	-	-	-	-	-	-	1	1	✓	✓	-	✓	-	-	-	✓	-	-	-	-	-	
43147	Nordic	Scandi Reloaded		233	PES	-	-	150	0.30	-	5-6	-	-	-	-	-	-	-	-	1	1	✓	✓	-	✓	-	-	-	✓	-	-	-	-	-	
43390	Medi-Tex Dimout Pearl FR	14		240	PES	-		185	0.27	B1	6	75	10	15	72	14	14	0	3	1	1	✓	✓	-	✓	-	-	-	✓	-	-	-	-	-	✓
43391	Medi-Tex Dimout Pearl FR	14		240	PES	-		185	0.27	B1	7	80	5	15	74	8	18	0	3	4	1	1	✓	✓	-	✓	-	-	-	✓	-	-	-	-	✓
43392	Medi-Tex Dimout Pearl FR	14		240	PES	-		185	0.27	B1	6-7	78	3	19	70	6	24	0	4	1	1	✓	✓	-	✓	-	-	-	✓	-	-	-	-	-	✓
43393	Medi-Tex Dimout Pearl FR	14		240	PES	-		185	0.27	B1	7	76	3	21	68	5	27	0	4	4	2	1	✓	✓	-	✓	-	-	-	✓	-	-	-	-	✓
43398	Allure Pearl	Modern Expression		240	PES	-		135	0.32	-	6	57	10	33	61	19	20	0	3	4	2	1	✓	✓	-	✓	-	-	-	✓	-	-	-	-	-
43399	Allure Pearl	Modern Poesie		240	PES	-		135	0.32	-	6	63	15	22	63	15	22	0	4	4	2	1	✓	✓	-	✓	-	-	-	✓	-	-	-	-	-
43710	Dune	Timeless Classics Grey		235	59% PES / 41% CV	-	-	105	0.24-0.28	-	7	53	46	1	45	52	3	3	2	0	0	1	✓	✓	-	✓	-	-	✓	-	-	-	-	-	
43853	Stardust BO	15		215	PES	-	-	150	0.22	-	6-7	81	0	19	66	0	34	0	4	4	1	✓	✓	-	✓	-	-	✓	-	-	-	-	-	-	
43921	Matrix	Modern Poesie		225	70 % PES / 30% CV	-	-	87	0.30	-	5-7	12	36	52	24	50	26	3	0	0	0	0	-	✓	✓	-	-	-	✓	-	-	-	-	-	

Art. no.	Name	Page			cm																													
43991	Bouquet	Modern Poesie	64% PES / 28% CV / 8% LI		225	-	0.34	114 g/m ²		-	5-7	39	37	24	41	41	18	2	1	0	0	1	-											
43992	Bouquet	Scandi Reloaded	64% PES / 28% CV / 8% LI		225	-	0.34	114		-	5-7	48	48	4	46	47	7	2	1	0	0	1	-											
W11468	Fontana BO	16	PES		300	-	0.18	169		-	4-5	85	0	15	85	0	15	0	4	4	4	2												
W11469	Fontana BO	16	PES		300	-	0.18	169		-	4-5	85	0	15	85	0	15	0	4	4	4	2												
W11476	Fontana BO	16	PES		300	-	0.18	169		-	4-5	85	0	15	85	0	15	0	4	4	4	2												
W11485	Fontana BO	16	PES		300	-	0.18	169		-	4-5	85	0	15	85	0	15	0	4	4	4	2												
W11492	Fontana BO	16	PES		300	-	0.18	169		-	4-5	85	0	15	85	0	15	0	4	4	4	2												
W11493	Fontana BO	16	PES		300	-	0.18	169		-	4-5	85	0	15	85	0	15	0	4	4	4	2												
W12496	Fontana BO	16	PES		300	-	0.18	169		-	4-5	85	0	15	85	0	15	0	4	4	4	2												
W12500	Fontana BO	16	PES		300	-	0.18	169		-	4-5	85	0	15	85	0	15	0	4	4	4	2												
W12501	Fontana BO	16	PES		300	-	0.18	169		-	4-5	85	0	15	85	0	15	0	4	4	4	2												
W12503	Fontana BO	16	PES		300	-	0.18	169		-	4-5	85	0	15	85	0	15	0	4	4	4	2												

You can find the applicable prices for the honey-comb pleated blinds in the honeycomb pleated blind collection or the Professional Portal.



more
information

KADECO Sonnenschutzsysteme GmbH · www.kadeco.de

© KADECO · MINPL-EN-0924 · Full or partial reproduction subject to prior written approval.
Subject to technical improvements and modifications without notice; errors and omissions excepted.



1017317